

GARAGE DOORS



ACCENT the beauty of YOUR HOME

A guide to choosing a garage door as beautiful as your home



Clopay, the right choice for your home.

- Clopay is North America's largest and most trusted garage door brand
- A garage door can represent as much as 30% of your home's front façade, which makes choosing the right design especially important and Clopay has the widest selection available
- Clopay garage doors are designed and manufactured in the USA







Design, Visualize and Purchase a New Clopay Garage Door Using Our Web-Based



Upload a photo of your home. See which style offers you the look you want. With just a few simple clicks, you can visualize the transformation and make it a reality.

Whether you choose a door that features the beauty of natural wood or the low maintenance of a composite or metal door, the Garage Door Configurator will help you find your dream door.







CHOOSE YOUR GARAGE DOOR SIZE

Garage door sizes are generally categorized as single or double car doors









2 CHOOSE YOUR COLLECTION

CANYON RIDGE® collection — ULTRA-GRAIN® SERIES — Stainou

- Stained wood-look steel doors with composite overlays
- Available in our BEST construction

COACHMAN® collection



- Painted wood-look steel doors with composite overlays
- Available in our GOOD and BEST construction options

GALLERY® collection



- Grooved panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

CLASSIC[™] collection



- Classic raised panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

CHOOSE YOUR CONSTRUCTION

The construction and insulation type improves energy efficiency, durability and noise control of the door









ENERGY DURABILITY NOISE EFFICIENCY CONTROL

Our **BEST** construction is made using 2" Intellicore® insulation between two layers of steel.

R-Value* = 18.4











Our **BETTER** construction is made using 1-3/8" Intellicore® insulation between two layers of steel.

R-Value* = 12.9

GOOD









Our **GOOD** construction is made using 1-3/8" polystyrene insulation between two layers of steel. R-Value* = 6.5









ENERGY DURABILITY NOISE EFFICIENCY CONTROL

Our **BASIC** construction is made using one layer of durable steel. R-Value* = 0.0

*Calculated door section R-value is in accordance with DASMA TDS-163.

4

DESIGN VISUALIZE AND PRICE

Design your door in store or in your home



homedepot.com/garagedoors
















intellicere* insulation technology



ENERGY EFFICIENCY Provides year-round comfort



18.4 R-VALUE Highest R-value in its class



NOISE CONTROL Dense insulation reduces operating noise



THERMAL BREAK Separates steel skins to improve energy efficiency




DURABILITYEnhanced strength increases durability



RUST PREVENTION Layered coating system helps protect steel skins

Available on the following collections:





MEDALLION™ HARDWARE INSTALLATION UPGRADE

Only available on professionally installed Clopay Garage Doors

UPGRADE, PROTECT AND EXTEND

the Life of Your Garage Door

UPGRADED HARDWARE

- Nylon ball bearing rollers for quiet, long-lasting operation
- 14 gauge hinges for smooth worry-free operation
- Extended life cycle springs

Along with upgraded hardware you receive extended warranties. See below for what is included on a standard door versus a door purchased with the Medallion™ Upgrade



ROLLERS

INCLUDED

3 Year

Standard Rollers MEDALLION™ UPGRADE



Heavy-Duty Ball Bearing Rollers

HINGES

INCLUDED



Standard 18 Gauge Hinges

MEDALLION™ UPGRADE



Heavy-Duty 14 Gauge Hinges

SPRINGS

INCLUDED



Torsion Spring

MEDALLION™ UPGRADE



Extended Life Cycle Springs

LABOR

INCLUDED



Lahor

3 Year
Limited
Warranty

MEDALLION™

Extended Labor

CANYON RIDGE® collection



AVAILABLE DESIGNS

Series 1



Design 11



Design 12



Design 13

Series 2



Design 21



Design 22



Design 23

Series 3



Design 31



Design 32



Design 33



Design 34



Design 35



Design 36



Design 37



Design 38


Shown with Clear Cypress overlays. Series 3 not available with windows.

ULTRA-GRAIN® SERIES






AVAILABLE OPTIONS






COACHMAN® collection




AVAILABLE DESIGNS








AVAILABLE OPTIONS






GALLERY® collection



AVAILABLE DESIGNS



Warranties



15 Year Manufacturer Paint System Warranty 10 Year Manufacturer Windows Warranty



GR2SU/GR2LU/ GR1SU/GR1LU/ GR1SP/GR1LP/ GR4L GR5S

ALL MODELS

AVAILABLE OPTIONS



- * Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP and GR1LP.
- † Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP, GR1LP and GR5S. Black and Ultra-Grain® color options are available at an additional charge.





18.4 R-Value

GR2SU/GR2LU 2" Intellicore® Polyurethane **12.9** R-Value


GR1SU/GR1LU 1-3/8" Intellicore® Polyurethane 6.5 R-Value

GR1SP/GR1LP 1-3/8" Polystyrene

O_O R-Value

GR4L/GR5SNon-Insulated

ADDITIONAL OPTIONS




Wrought Iron ARCH

Windows are standard with 1/8" double strength clear glass or optional obscure glass with or without snap-in grilles. Insulated double strength and obscure options are available ONLY on Best, Better and Good construction doors.

DECORATIVE HARDWARE






		Collection Availability		
	Hardware Description Numbers below correspond with images on page 15	COACHMAN®	CANYON RIDGE®	GALLERY®
1	Standard Spade Lift Handles	~	V	V
2	Standard Spade Step Plate	~	~	~
3	Spade Strap Hinge*	~	~	~
4	Twisted "L" Handles	~	~	~
5	Twisted "T" Handle			~
6	Escutcheon Plate(s)	~	~	~
7	Diamond Resin Clavos*	~	~	~
8	Round Resin Clavos*	~	~	~
9	Ring Door Knocker	~	~	
10	Ring Knocker with Plate	~	~	
11	Lion's Head Door Knocker	~	~	
12	Decorative Handles with Keyhole	~	~	
13	Sliding Bolt	~	~	
14	Spear Lift Handles	~	~	~
15	Spear Step Plate	~	~	~
16	Spear Strap Hinge*	~	~	~
17	Fleur de Lis Handles	~	~	
18	Fleur de Lis Step Plate	~	~	
19	Fleur de Lis Strap Hinge*†	V	~	
20	Colonial Lift Handles	~	~	V
21	Colonial Step Plate	~	~	V
22	Colonial Strap Hinge*	~	~	V
23	Olde Door Pull Handles	V	~	V
24	Gate Latch Handles	~	~	V
25	Mediterranean Strap Hinge*†		~	
26	Tuscan Strap Hinge*†		~	

^{*}Door may not open properly if installed near the top, depending on opening dimensions and lift type.

 $^{^\}dagger \mbox{\it Hardware may not fit on all door designs.}$

Attractive black powder coated handles and step plates are provided standard to further enhance the carriage house design. Optional antique hardware, including handles, operable L-keylocks, strap hinges, door knockers and studs, are available to provide the look of a classic carriage house door.



Visit the Paint Desk at The Home Depot and give them the CBP code to get an exact color match in BEHR MARQUEE®, BEHR PREMIUM PLUS ULTRA® or BEHR PREMIUM PLUS®


exterior paint. (BEHR, GOOD. BETTER. BEHR, BEHR MARQUEE,

BEHR PREMIUM PLUS ULTRA and BEHR PREMIUM PLUS are

trademarks of Behr Process Corporation of California.)

Mocha Black Cherry Walnut Gray CBP-7 CBP-8 Brown Finish Finish Finish Green CBP-6 CBP-12 CBP-13 CBP-14 CBP-11

CLASSIC[™] collection



AVAILABLE DESIGNS



AVAILABLE OPTIONS

Medium Finish*

Cherry Finish*



Walnut Finish*



HDP20/HDPL20

2" Intellicore® Polyurethane


HDP13/HDPL13

1-3/8" Intellicore® Polyurethane

2050/2053 1-3/8" Polystyrene

HDB/HDBL Non-Insulated

ADDITIONAL OPTIONS



Warranties











WINDOWS


Leaded Series (glass)



- Classic, elegant leaded design provides privacy while allowing sunlight to pass through
- Insulated glass available on Classic™ Collection Models HDP20, HDPL20, HDP13 and HDPL13 only

Wrought Iron Series





Wrought Iron ARCH*

- Architectural Series windows feature a larger viewing area
- Insulated glass available on Classic™ Collection Models HDP20, HDPL20, HDP13 and HDPL13 only

*Wrought Iron acrylic windows not available insulated.

Plain Series







- Plain Long
- Available in non-insulated single pane glass, clear acrylic or obscure glass on any model
- Insulated double pane glass and obscure glass available on Classic™ Collection Models HDP20, HDPL20, HDP13 and HDPL13 only

Snap-In Series



Charleston 508





Sunset 501 (4, 6, 8 or 10 panels across)



Charleston 608



Prairie 610



Sunset 502 (3, 6 or 9 panels across)



Colonial 509



Madison 611



Sunset 503 (4 or 8 panels across)



Stockton 612



Madison Arch 613



Sunset 601 (2, 3, 4 or 5 long panels across)



Sunset 505 (8 panels across only)



Sunset 506 (5 or 10 panels across)





Sunset 603 (2 or 4 long panels across)






Sunset 605 (4 long panels across)

- Snap-In inserts are made of tough UV-protected plastic
- Inserts snap into the inside or outside frame of plain windows, changing the look in minutes
- Inserts come in 14 colors to match the color of the door; Sunsets come in 7 colors Due to the printing process, colors may vary.

Window Location



Top Section



Second from Top

- Short windows available over short and flush panels (all widths)
- Long windows available over long panels (all widths)
- Long windows available over short and flush panels (8', 9', 16' and 18'* widths only)
- Most windows come standard in top section
- Most windows available in top and second from top section
- *18' not available on Model 2050.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit clopaydoor.com/acrylic for complete details.



EXPLORE more door options











CONSIDER a commercial door







Explore all of the garage door collections, designs and insulation options Clopay has to offer.

See a store associate or scan here to view the Clopay garage door configurator.



HomeDepot.com/GarageDoors





PROFESSIONAL INSTALLATION

Let Our Qualified Experts Install Your Door

Professional Installation Includes:















What To Expect

- Order your new garage door (Visit, Click or Call)
- We'll perform a site inspection to confirm your door size
- We'll contact you to schedule the installation
- Many popular sizes and models* installed within 10 days after site inspection
- Custom "made-to-order" garage doors installed within 4 weeks after site inspection

*Ask an Associate for model and size availability in your market.

*Clean up and haul away old door(s) and answer homeowner's questions. Additional fees for haul away may apply in some markets.

INSTALL-IT-YOURSELF

Need a Door Today?

- Ask an Associate for our selection of "In-Stock" doors
- Load it up and take it home today



Want a "Custom" Look for Your Home?

- Bring in your measurements and choose from thousands of styles, sizes and options
- We'll deliver your door in 4 weeks, FREE HOME DELIVERY included



HOME

Let us do it for you.

SERVICES

PURCHASE OPTIONS





CLICK



CALL


Visit your local Home Depot store

Go to HomeDepot.com/GarageDoors

Call 1-800-HOMEDEPOT (466-3337)

SPECIAL In-Stock doors not available in every market. Additional fees apply for deliveries greater than 30 drive miles from store location. Please note that Reserve® Wood Collection, Canyon Ridge® Collection and Avante® Collection doors are available ONLY professionally installed.

HOW TO MEASURE



Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

Width

2 Height

Measure for sideroom: 3-3/4" is required on each side for installation of vertical track for standard extension spring or EZ-SET® torsion springs; 5-1/2" for F7-SFT® extension springs.

Sideroom 3 Left

Sideroom 4 Right

Measure area labeled "headroom" distance between the top of the door opening ("jamb header") and the ceiling or lowest obstruction (e.g., opener, beams or light fixtures). 10" is required for standard or EZ-SET® extension springs: 12" is required for standard or EZ-SET® torsion springs. If you have restricted headroom, special hardware is available.

NOTE: If door height extends above the opening, the headroom measurement should be adjusted proportionately.

5 Headroom

Measure area labeled "backroom"distance is measured from the garage door opening toward the back wall of the garage. Door height plus 18" is required. Additional backroom may be required for installation of an automatic garage door opener.

6 Backroom _









